

PTW-2748, 27" X 48" 6,000 LB CAPACITY PALLET TRUCK

140175

JET® PTW Series Pallet Trucks are available in 5 different configurations. Each JET PTW Pallet Truck has a low profile of 2-7/8 inches, varying widths of 20 to 27 inches, and different lengths from 36 to 48 inches. High quality welded steel construction gives the PTW series a capacity of 6,000 pounds. The 200 degree turning radius increases maneuverability and the easy-to-use fingertip controls permit single handed operation. JET PTW Series Pallet Trucks are built to handle heavy lifting



FEATURES

- Capacity: 6,000 pounds
- Turning Radius: 200 degrees
- Overload Protection ball valve prevents lifting loads past maximum capacity
- Top-Stroke release valve prevents cylinder extension beyond maximum height
- Chrome-plated pump piston and ram provide corrosion resistance in any industrial environment
- One-piece cast iron pump has a built-in valve that lowers the material in a controlled decent
- Poly over aluminum 7 x 2 inch steer wheels ensure contact with uneven floors
- Steer wheels feature double sealed lubricated bearings



JET RED ASSURANCE 2-YEAR WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE

PTW-2748, 27" X 48" 6,000 LB CAPACITY PALLET TRUCK

140175

SPECIFICATIONS

Capacity (Lbs.)	6,000
Turning Radius (Deg)	200
Overall Fork Dimensions (L x W) (In.)	48 x 27
Fork Width (In.)	6-1/4
Lowered Height (In.)	2-7/8
Maximum Height (In.)	7-3/4
Number of Strokes to Reach Maximum Height	12
Force Required to Pump @ Maximum Load (Lbs)	78
Steer Wheel Size (In.)	7 x 2
Load Wheel Size (OD x W) (In.)	2-7/8 x 3-11/16
Force Required to Move Maximum Load (Lbs)	110
Overall Dimensions (L x W x H) (In.)	63 x 27 x 47
Weight (Lbs)	172
W1 Fork Width (In)	6-1/4
W2 Overall Width (In)	27
L1 Fork Length (In)	48
L2 Overall Length (In)	64-1/2



STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE

**PTW-2748, 27" X 48" 6,000 LB
CAPACITY PALLET TRUCK**

140175

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	TURNING RADIUS (DEG)	OVERALL FORK DIMENSIONS (L X W) (IN.)	FORK WIDTH (IN.)	LOWERED HEIGHT (IN.)
140170	PTW-2036	6,000	200	36 x 20-1/2	6-1/4	2-7/8
140171	PTW-2042	6,000	200	42 x 20-1/2	6-1/4	2-7/8
140172	PTW-2048	6,000	200	48 x 20-1/2	6-1/4	2-7/8
140174	PTW-2742	6,000	200	42 x 27	6-1/4	2-7/8
140175	PTW-2748	6,000	200	48 x 27	6-1/4	2-7/8

STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE