


 SHARE















Attachments / Snow Blade


















Specifications

Units US




	Snow Blade - 54"	Snow Blade - 60"	Snow Blade - 72"	Snow Blade - 84"	Snow Blade, Heavy Duty - 86" 
General					
Operating Weight	310 lb	580 lb	590 lb	620 lb	809 lb
Length	29.7 in	42 in	42 in	42 in	35.6 in
Width	54 in	60 in	72 in	84 in	86 in
Height	21.9 in	28 in	28 in	28 in	28.5 in
Cutting Edge (Steel)	.38" x 4"	.375" x 6"	.375" x 6"	.375" x 6"	.5" x 6"
Cylinder Bore	2 in	2 in	2 in	2 in	3.5 in
Cylinder Rod	1.2 in	1.2 in	1.2 in	1.2 in	1.2 in
Cylinder Stroke	5 in	9.6 in	9.6 in	9.6 in	9.6 in
Working Width (Fully Angled)	46.8 in	52 in	63 in	73 in	75 in
Cylinders	1	2	2	2	1
Optional Rubber Cutting Edge	1" x 5"	1" x 6"	1" x 6"	1" x 6"	1" x 6"
Trip Springs	2	4	4	4	4
Degree of Angle Right or Left	30°	30°	30°	30°	30°

Compatible Carriers

Skid-Steer Loaders					
Bobcat A770					
Bobcat S70					
Bobcat S450					
Bobcat S550					
Bobcat S570					

Bobcat S590					
Bobcat S595					
Bobcat S630					
Bobcat S650					
Bobcat S740					
Bobcat S770					
Bobcat S850					

Compact Track Loaders

Bobcat T450					
Bobcat T550					
Bobcat T590					
Bobcat T595					
Bobcat T630					
Bobcat T650					
Bobcat T740					
Bobcat T750					
Bobcat T770					
Bobcat T870					

Mini Track Loaders

Bobcat MT55					
Bobcat MT85					

Toolcat™ Work Machine

Bobcat 5600					
Bobcat 5610					

Telehandler

Bobcat V519					
-------------	--	--	--	--	--

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.